



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL # FL7422
 Application Type New
 Code Version 2004
 Application Status Approved
 Comments
 Archived

Product Manufacturer Master Security Doors, Inc.
 Address/Phone/Email 702 South Military Trail
 Deerfield Beach, FL 33442
 (954) 571-7300
 jrohnkohl@wowway.com

Authorized Signature Jim Rohnkohl
 jrohnkohl@wowway.com

Technical Representative
 Address/Phone/Email

Quality Assurance Representative
 Address/Phone/Email

Category Exterior Doors
 Subcategory Swinging Exterior Door Assemblies

Compliance Method Certification Mark or Listing

Certification Agency Miami-Dade BCCO - CER
 Validated By

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	TAS 201	2004
	TAS 202	2004
	TAS 203	2004

Equivalence of Product Standards
 Certified By

Product Approval Method Method 1 Option A

Date Submitted	09/07/2006
Date Validated	09/12/2006
Date Pending FBC Approval	09/13/2006
Date Approved	10/11/2006

Summary of Products		
FL #	Model, Number or Name	Description
7422.1	EX-3 Outswing	Outswing single door system
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +150/-200 Other:		Certification Agency Certificate FL7422_R0_C_CAC_05112103.pdf Quality Assurance Contract Expiration Date Installation Instructions FL7422_R0_II_05112103.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
7422.2	EX-3 USA Inswing Door	Single Doors
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70/-200 Other:		Certification Agency Certificate FL7422_R0_C_CAC_05112104.pdf Quality Assurance Contract Expiration Date Installation Instructions FL7422_R0_II_05112104.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
7422.3	EX-4 In or Outswing Double Door	
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +100/-100 Other:		Certification Agency Certificate FL7422_R0_C_CAC_01101901.pdf Quality Assurance Contract Expiration Date Installation Instructions FL7422_R0_II_01101901.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
7422.4	EX-4 In or Outswing Single Door	
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +200/-200 Other:		Certification Agency Certificate FL7422_R0_C_CAC_01101902.pdf Quality Assurance Contract Expiration Date Installation Instructions FL7422_R0_II_01101902.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

[Back](#)

[Next](#)

DCA Administration

Department of Community Affairs
Florida Building Code Online
Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:



